

# SlipFlex PTFE Tubing & Sleeves

SlipFlex PTFE flexible connectors are safe for direct food contact and provide outstanding resistance to aggressive cleaning practices. Our selection of SlipFlex PTFE fabrics and flexible laminate films gives you the choice of breathable or dust-tight media.

## SLIPFLEX PTFE LAMINATE


SlipFlex PTFE Laminate Film is built up to the desired wall thickness by laminating thin layers of SlipFlex PTFE film at 45° and 90° angles on a sheet. The proprietary cross pattern lamination process produces exceptional 360° tear strength and durability. SlipFlex PTFE laminate offers excellent chemical, environmental and extreme thermal stability. It provides very good abrasion resistance in that its surface is non-stick. Also available in FDA acceptable black static conductive.

## SLIPFLEX PTFE WOVEN LAMINATE


SlipFlex PTFE Laminate Film connectors have non-stick surfaces, resist most processing chemicals and can operate continuously at 600°F/316°C. The proprietary cross-laminated structure makes them resistant to tearing, and they are FDA, 3-A and EC compliant for food contact. FDA-acceptable, non-stick, very flexible laminated film with outstanding resistance to harsh chemicals and solvents. Immune to outdoor environments and environmental aging. Ideal for use with harsh C-I-P chemicals and extreme temperatures.

## SLIPFLEX 7008

This permeable white lightweight fabric is outstanding for applications that need a highly flexible connector in harsh conditions. Our 9 oz light-weight SlipFlex 7008 offers outstanding permeability at 100 CFM/ft<sup>2</sup> @ 0.5" wg.



SlipFlex PTFE Laminate Custom Connectors



SlipFlex PTFE Laminate Custom Connectors and Tubing

## HIGHLIGHTS

### Benefits of Using SlipFlex PTFE

- Chemical Resistance
- Abrasion Resistance
- Moisture Resistant
- Non-Stick Easy to Clean
- Flex Fatigue Resistance
- Excellent UV Resistance



Siftex Equipment Co., Inc.  
 52D Connecticut Avenue  
 South Windsor, CT 06074  
 USA

Toll Free 800.274.3839  
 Local 860.289.8779  
 Fax 860.289.8744

[customerservice@siftex.com](mailto:customerservice@siftex.com)



[Siftex.com](http://Siftex.com)